


ADJUSTABLE STARTER BRACKET
CAN BE MOUNTED ON EITHER SIDE OF UN




REVISIONS		NOTES			
NO.	DATE	BY	DESCRIPTION	NO. ZONE	DESCRIPTION

NOTICE
The information contained herein is proprietary and may not be copied or transmitted to another party without the written consent of the owner, THE DOUBLE LIFE CORP., INC.



TITLE					
CUSTOMER INSTALLATION & DIMENSIONAL DRAWING					
AWD III 416/210 MUD CLEANER					
SIDE VIEW					
PART NO.	DRAWN BY	DATE	SCALE	REVISED BY	SB
1/1	MW	3-11-03	NTS		
SHEET NO.	DRAWING NO.	REV. NO.	SIZE	ISS.	
1/1	99-00033	0	A		1



REVISIONS		NO. ZONE	DESCRIPTION	BY	DATE

NOTICE
The information contained herein is proprietary and may not be copied or transmitted to another party without the written consent of the owner, THE DOUBLE LIFE CORP., INC.



TITLE					
CUSTOMER INSTALLATION & DIMENSIONAL DRAWING					
AWD III 416/210 MUD CLEANER					
END VIEW					
PART NO.	DRAWN BY	DATE	SCALE	REVISED BY	SB
	MW	3-11-03			
SHEET NO. DRAWING NO.	REV. NO.	SIZE	SEQ.		
1/1	99-00033E	0	A		1

DLC – TECHNICAL SALES BULLETIN

Reference Data

Particle Size Comparisons

English/Metric Conversions

Particle Size Comparisons

The following data are in accordance with ASTM Standard E-11-70. Excluding 325 mesh, all have a ratio of the square root of 2.

<u>SIZE</u> <u>(Inches)</u>	<u>MESH SCREEN</u> <u>Equivalent</u>	<u>METRIC</u> <u>Equivalent</u>
.263	3	6.7 mm
.185	4	4.75 mm
.131	6	3.35 mm
.093	8	2.36 mm
.065	10	1.70 mm
.046	14	1.18 mm
.0328	20	850 microns
.0232	28	600 microns
.0164	35	425 microns
.0116	48	300 microns
.0082	65	212 microns
.0058	100	150 microns
.0041	150	106 microns
.0029	200	75 microns
.0021	270	53 microns
.0017	325	45 microns
.0015	400	38 microns