

Single Joint Elevators

The MK SJ Elevator is designed to enable the drilling rig crew to hoist up the tubular safely to the rig floor without damaging the shoulder or the threads.

Single Joint Elevators	
Part Number	Description
J-SJ0238	Single Joint Elevator 2-3/8"
J-SJ0278	Single Joint Elevator 2-7/8"
J-SJ0350	Single Joint Elevator 3-1/2"
J-SJQ400	Single Joint Elevator 4"
J-SJ0440	Single Joint Elevator 4-1/2"
J-SJ0500	Single Joint Elevator 5"
J-SJ0550	Single Joint Elevator 5-1/2"
J-SJ0700	Single Joint Elevator 7"
J-SJ0758	Single Joint Elevator 7-5/8"
J-SJ0958	Single Joint Elevator 9-5/8"
J-SJ1034	Single Joint Elevator 10-3/4"
J-SJ1134	Single Joint Elevator 11-3/4"
J-SJ1338	Single Joint Elevator 13-3/8"
J-SJ1600	Single Joint Elevator 16"
J-SJ1858	Single Joint Elevator 18-5/8"
J-SJ2000	Single Joint Elevator 20"
J-SJ2400	Single Joint Elevator 24"
J-SJ3000	Single Joint Elevator 30"



Elevators TA Style

The MKP TA Style Elevators are for use on tubing, casing and drill collars. The elevators are balanced for easy handling with safety lock and latch and guarded operating handles. Sizes range from 35 ton to 150 ton and cover all size tubular up to 11-1/4".

Elevators TA Style										
Elevator	Upset/Non Upset	1.050"	1.315"	1.660"	1.900"	2-3/8"	2-7/8"	3-1/2"	4"	4-1/2"
TA35	Non	J-32387-150	J-32387-152	J-32387-154	J-32387-156	J-32387-158	J-32387-160			
	Upset	J-32387-151	J-32387-153	J-32387-155	J-32387-157	J-32387-159	J-32387-161			
TA65	Non			J-32385-154	J-32385-156	J-32385-158	J-32385-160	J-32386-162	J-32386-164	J-32386-166
	Upset			J-32385-155	J-32385-157	J-32385-159	J-32385-161	J-32386-163	J-32386-165	J-32386-167
TA100	Non					J-32383-158	J-32383-160	J-32384-162	J-32384-164	J-32384-166
	Upset					J-32383-159	J-32383-161	J-32384-163	J-32384-165	J-32384-167



BJ Type TA Elevator Parts							
	TA35		TA65	TA100		TA150	
Frame	J-32387	J-32386	J-32385	J-32384	J-32383	J-32754	J-39342
Latch Lock Assembly	J-32484	J-32382				J-32753	
Latch	J-32446	J-32380				J-32752	
Latch Lock	J-32447	J-32381				J-32752-2	
Latch Lock Pin	J-36685	J-36208				J-36207	
Latch Lock Spring	J-32483	J-32469				J-32758	
Hinge Pin	J-32917	J-32915	J-32916	J-32919	J-32915	J-32924	
Latch Pin	J-32424-4	J-32424-2	J-32424-3	J-32424-1	J-32424-2	J-32762	
Latch Spring	J-32482	J-32470				J-32760	
Link Block	J-23404	J-32430				J-9519	
Link Block Pin	J-23405	J-29359				J-8151	
Lockbar	J-32918	J-32892		J-32920	J-32892	J-32925	
Cotter Pin	J-939667-19			J-939667-19	J-939667-19	J-939672-19	
Link Block Bolt	J-23406	J-939051-69		J-939051-65		J-8145	
Link Block Nut	J-939484-5	J-939484-7				J-8150	
Grease Fitting	J-940308-1						
Expansion Plug	J-944048-1	J-944048-16	J-944048-15	J-944048-19	J-944048-16	J-944048-22	

Elevators SLX Style

The MKP Style SLX Side Door Elevators are designed for all size casing up to 24" with load rating of 100 ton to 250 ton. The shielded safety latch protects the latch from accidentally opening; the SLX design has a double latch safety feature.



BJ Style SLX Side Door Elevator							
Range	6-5/8" – 8-5/8"	9-5/8" – 10-3/4"		11-3/4" – 13-3/8"	16"	18-5/8" – 20"	24-1/2"
Base Frame	J-31239-XXX	J-33950-XXX I		J-33982-XXX	J-34087-XXX	J-33632-XXX	J-34175-XXX
Latch	J-31331				J-33634		
Latch Lock	J-31332				J-33635		
Latch Lock Pin	J-29980-4				J-32424-2		
Latch Lock Spring	J-31404				J-33658		
Hinge Pin	J-34611	J-33953	J-33985		J-33646		J-34179
Latch Pin	J-32424-3				J-33645		
Latch Spring	J-31383				J-33657		
Roller	J-31407						
Roller Pin	J-31584						
Lock Bar	J-34614	J-32918	J-32892				J-31074
Link Block	J-9519						
Link Block Pin	J-8151						
Link Block Bolt	J-8145						
Link Block Nut	J-8150						
Cotter Pin	J-939667-20						
Grease Fitting	J-940308-1						

Drill Pipe Elevators G Series

MKP "G" Series 18° Bottleneck Elevators provide center latch operation for running external upset drill pipe from 100 - 350 ton loads. They will exceed the API safety factor for handling it's load capacity. MKP Elevators are made of high quality heat treated alloy steel. The "G" type elevators have a safety latch and latch lock combination to prevent equipment induced accidents.



BJ Drill Pipe Type Elevators							
Size	2-3/8"	2-7/8"	3-1/2"	4"	4-1/2"	5"	5-1/2"
MG	J-30157-116	J-30157-118	J-30157-120	J-30157-121	J-30157-122	J-30157-123	NA
RG	J-30156-116	J-30156-118	J-30156-120	J-23540-121	J-23540-122	NA	NA
MGG	NA	NA	J-35005-120	J-35005-121	J-35005-122	J-35005-123	J-35005-124
GG	NA	NA	NA	J-31068-121	J-31068-122	J-31068-123	J-31068-124

BJ Drill Pipe Type Elevator Parts					
Description	GG Part Number	MGG Part Number	RG Part Number		MG Part Number
Size	4" – 5-1/2"	3-1/2" – 5-1/2"	2-3/8" – 3-1/2"	4" – 5-1/2"	2-3/8" – 5-1/2"
Latch	J-31071	J-34906	J-23543	J-13151	J-11763
Latch Lock	J-13152		J-23729	J-13152	J-11764
Latch Pin	J-31073	J-34097	J-23544	J-24045	J-26814
Latch Pin Dowel	J-18608	J-34911	J-8156	J-29468	J-8156
Latch Spring	J-18416	J-34909	J-23546	J-13155	J-11766
Latch Lock Spring	J-13188				NA
Latch Lock Bolt	J-15101		NA	NA	
Door Lug Pin	J-13190		J-23547	J-13190	J-12529
Door Catch Arm Pin	J-12916		NA	NA	
Door Catch Spring	J-9561		NA	NA	
Door Catch Arm Assembly	J-13821		NA	NA	
Stop Spring	J-13185		J-23548	J-13185	
Hinge Pin	J-31072	J-34908	NA	NA	J-26813
Link Block Assembly	J-9519-1				J-26817-1
Link Block	J-9519				J-26817
Link Block Pin	J-8151				J-8031
Link Block Bolt Assembly	J-8145-2				J-8145-2
Hinge Pin Lock Bar	J-31074	J-34910	NA	NA	
Cotter Pin	J-939667-19		NA	NA	
Latch Lock Nut	J-939484-8		NA	NA	
Grease Fitting	J-940308-1		NA	NA	
Latch Cam					J-11581

Other Parts	PN
ROD ELEVATOR 1"	MK-RE 7810
SINGLE JOINT ELEVATOR 4 1/2"	SJ-0440
SINGLE JOINT ELEVATOR 6 5/8"	SJ-0658
SINGLE JOINT ELEVATOR 9 5/8"	SJ-0958
ROD ELEVATOR 1 1/8"	J-RE 0118
ROD ELEVATOR 5/8" - 3/4"	J-RE 5834